

Home | Login | Logout | Access Information | Al ϵ

Welcome United States Patent and Trademark Office

E⊟ESearch Results				BROW	SE	SEARCH	IEEE XPLORE GUID	DE
Your search	((((list and generat* and similari matched 4 of 15 documents. of 100 results are displayed, 25 to			_				⊠e-mail
» Search Opt	tions							
View Session	n History	Modif	y Search					
New Search		(((((list and generat* and similarity) <in>metadata))<and>((list and generat* and similar</and></in>						
			Check to sea	rch only wi	thin this res	ults set		
» Key		Check to search only within this results set Display Format: © Citation C Citation & Abstract						
IEEE JNL	IEEE Journal or Magazine							
IEE JNL	IEE Journal or Magazine	Select	Article In	formation				
IEEE CNF	IEEE Conference Proceeding							
IEE CNF	IEE Conference Proceeding	Concurrent transient fault simulation for analog circuits Junwei Hou; Chatterjee, A.;						
IEEE STD	IEEE Standard		Compt Volume	iter-Aided l e 22, Issue	Design of In e 10, Oct. 2	tegrated Circuits and S 003 Page(s):1385 - 139 09/TCAD.2003.818129		n
			Abstra	ctPlus Re	ferences F	ull Text: <u>PDF</u> (1035 KB)	IEEE JNL	
		Ľ	Wang, Fuzzy Volume Digital	Y.; Elghon Information 2, 27-30 Object Ide	eimy, E.; Gr n, 2004. Prod June 2004 I ntifier 10.110	upport for jag selection uver, W.A.; Fleetwood, cessing NAFIPS '04. IE Page(s):717 - 722 Vol.2 09/NAFIPS.2004.13373	M.; Kotak, D.B.; EE Annual Meeting of the	
		Γ	Canton Knowle Volume Digital	e, D.; Femedge and De 17, Issue Object Ide	o, A.; Pulvin Pata Enginee e 4, April 20 ntifier 10.110	pport range search an enti, A.; Recupero, D.R. ering, IEEE Transaction 05 Page(s):535 - 550 09/TKDE.2005.53 2176 KB) IEEE JNL	• •	ch in metric spa
		r.	Breiten Multime Volume Digital	eder, C.; E edia and E e 2, 30 Jul Object Ider	idenberger, xpo, 2000. l y-2 Aug. 200 ntifier 10.110		International Conference on	

Indexed by

Help Contact Us Privac

© Copyright 2005 IE



Secu

September 17, 2005

USPTO

Search

Full Text
Concept
Document ID
Recent Disclosures

Other

Prior Art	: Home
Support	
Logout	

Fingerprint Lookup

Lookup

Displaying records #1 through 6 out of 6

Relevance: Result # 1

Network Time Protocol (Version 3) Specification, Implementation (R IPCOM000002125D

1992-03-01

... configuration [MIT80]. With respect to timekeeping accuracy and stability, the simil-

digital telephone systems is not accidental, since systems like this have been studied ϵ [LIN80], [BRA80]. What makes the NTP model unique is ...

Relevance: OO 100 Result # 2

A History of the Information Processing Techniques Office of the Defe Advanced Research Projects Agency

IPCOM000127913D

... of these problems with sources, we believe that, while a greater range of records m degree alter our description of events, the conclusions of our investigations would rem intact. Over forty interviews with principals in this history were ...

Result # 3 Relevance: (C)

The OAKLEY Key Determination Protocol (RFC2412)

1998-11-01

IPCOM000002988D

Er

... keys which will be used for encryption. The OAKLEY protocol is related to STS, sharing the similarity of authenticating the Diffie-Hellman exponentials and using them for determining a shared key, and also of achieving Perfect Forward Secrecy for the ...

Relevance: 😭 💮 😂 Result # 4

SUBMICRON SYSTEMS ARCHITECTURE

1982-12-31

IPCOM000127926D

... paths. This test easily fits in the storage of each processor, and has a time complex the number of processors, with a fairly small coefficient.

The third and final phase of testing storage, registers, arithmetic, and other datapath of most ...

Relevance: Result # 5

A Unified Approach to Inter-Domain Routing (RFC1322)

1992-05-01

IPCOM000002144D

... process may be modeled by a function that assigns a non-negative integer to a rout degree of preference. Route selection applies this function to all feasible routes to a give and selects the route with the highest value. To provide a stable ...

Result # 6 Relevance: 🔾 🕽 🛴

Toward the PSTN/Internet Inter-Networking--Pre-PINT Implemental (RFC2458)

1998-11-01

IPCOM000003036D

Er


... inweb. Each row contains profile of one Content Provider" INDEX { inwebSmsNumber } := { inwebContProviderTable 1 } InwebContProviderEntry := SEQUENCE { $in web Sms Number\ Integer 32,$

Displaying page 1 of 1 << FIRST | < BACK | NEXT > | LAST >>

Search query: degree and similarity and index and log **Published Before:** 5-30-2001 (Original publication date)

New search | Modify this search | Search within current results

Copyright © 2005 IP.com, Inc. All rights reserve



Web Results 1 - 10 of about 48,600 for generating play list degree of similarity candidate items metadata.

Did you mean: generating playlist degree of similarity candidate items metadata

Scholarly articles for generating play list degree of similarity candidate items metadata



<u>Experience with a Combined Approach to ...</u> - by Clifton - 26 citations XOO7: Applying OO7 Benchmark to XML Query Processing Tools - by Bressan - 15 citations <u>Finding linking opportunities through relationship-based ...</u> - by Yoo - 6 citations

United States Patent Application: 0030221541

The playlist generator 104 also receives metadata for media items in the media ... a degree of similarity that can be employed by the playlist generating ... appft1.uspto.gov/.../ 20030221541&RS=DN/20030221541 - 88k - Cached - Similar pages

IBC 2003 Conference Papers

If the **item** has been identified correctly additional **metadata** may be ... The data is then added to the **play list** files for each channel together with start ... www.broadcastpapers.com/ibc2004/IBC04FIICmon-print.htm - 50k - <u>Cached</u> - <u>Similar pages</u>

[PDF] CONTENT-BASED BROADCAST MONITORING USING MPEG-7 AUDIO FINGERPRINTS

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> likely **candidate** for the next **play list** entry. ... compliant **metadata** entries). The data is then added to the **play list** files for each channel ... www.broadcastpapers.com/ibc2004/IBC04FIICmon.pdf - Similar pages

[PDF] Giving Music more Brains: a study in music metadata management

File Format: PDF/Adobe Acrobat - View as HTML

(U) The number of requests for **generating** a **play-list** at a given user base ... in **items** with a high **similarity**, we only store those tuples for which $s \le k$ www.science.uva.nl/research/ias/ alumni/m.sc.theses/theses/ArjanScherpenisse.pdf - Similar pages

[PDF] Experience with a Combined Approach to Attribute-Matching Across ...

File Format: PDF/Adobe Acrobat - View as HTML

items up to a subjective 'cutoff' based on the similarity bar chart, ...

tomatically extracted information to generate an initial candidate list; ...

www.mitre.org/about/technical centers/ itc/about/staff/arnie/pubs/ds-7.pdf - Similar pages

[PDF] Dynamic Integration and Query Processing with Ranked Role Sets ...

File Format: PDF/Adobe Acrobat

determine candidate global IDS with different degrees. of similarity. ... Step 3:

Semint uses the metadata extracted in Step. 2 to generate attribute ...

ieeexplore.ieee.org/iel3/ 4103/12102/00555007.pdf?arnumber=555007 - Similar pages

Kentuckiana Digital Library: Help

For purposes of **similar** look and feel for users, "Container **List**" is the recommended title. ... 4.1 The Dublin Core: An **Item** Level **Metadata** Element Set ... kdl.kyvl.org/html/kdl/guidelines.htm - 188k - <u>Cached</u> - <u>Similar pages</u>

Java News from July, 2005

... than two dozen tasks of varying **degrees** of difficulty in the issue **list**. ... A tool-agnostic set of design-time **metadata items** (with fixed names and ... www.cafeaulait.org/2005july.html - 56k - <u>Cached</u> - Similar pages


Using Contextual Structure to Guide Exploratory Search

[GMA93] take a **similar** approach, using Galois lattices to represent document ... You might therefore begin by selecting the HCl source and using **items** from ... www.cs.ubc.ca/spider/flinn/ publications/www97/PAPER251.html - 49k - <u>Cached</u> - <u>Similar pages</u>

Interface Design

However, the **list** of additional qualities would not be complete without ... with shaded **similarity** matrices to **generate** a visualization of the **degrees** of ... mustard.tapor.uvic.ca/cocoon/ ach_abstracts/xq/xhtml.xq?id=208 - 37k - <u>Cached</u> - <u>Similar pages</u>

Did you mean to search for: generating playlist degree of similarity candidate items metadata



Result Page: 1 2 3 4 5 6 7 8 9 10 Nex



Free! Instantly find your email, files, media and web history. <u>Download now.</u>

generating play list degree of similar Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - Hurricane Katrina Resources - About Google

©2005 Google



generating play list degree of similarity candida

Search

Advanced Scholar Search Scholar Preferences Scholar Help

"of" is a very common word and was not included in your search. [details]

Scholar Results 1 - 10 of about 189 for generating play list degree of similarity candidate items metadata

Did you mean: generating playlist degree of similarity candidate items metadata

Experience with a Combined Approach to Attribute-Matching Across Heterogeneous Databases

C Clifton, E Housman, A Rosenthal - DS-7, 1997 - dit.unitn.it

... Several data models **play** a role in Air Force data ... tools was to reduce the labor of **generating** the selected ... document base, and return a ranked **list** of documents ... <u>Cited by 26 - View as HTML - Web Search - dit.unitn.it - mitre.org - members.aol.com - all 5 versions »</u>

XOO7: Applying OO7 Benchmark to XML Query Processing Tools

S Bressan, G Dobbie, Z Lacroix, ML Lee, YG Li, U ... - Proc. 10 thInt'l Conf. Information and Knowledge ... - comp.nus.edu.sg

... If XML is to play the critical role of ... generating new XML structures and transforming one XML structure to ... For each richer-than-average person, list the number ... Cited by 15 - View as HTML - Web Search

Finding linking opportunities through relationship-based analysis

J Yoo, M Bieber - ACM 2000 Hypertext, 2000 - portal.acm.org

... design, hypermedia analysis should **play** a part ... An initial **list** could include software designers ... type into subtypes for **generating** generalization/specialization ... <u>Cited by 6 - Web Search - cis.njit.edu - cs.njit.edu - csa.com - all 6 versions »</u>

Creating Personalized Video Presentations using Multimodal Processing

D Gibbon, L Begeja, Z Liu, B Renger, B Shahraray - Handbook of Multimedia Databases - vision.poly.edu ... The **degree** of smoothness depends on the order of MFCC being ... For each news story, we extract a **list** of keywords and ... The user may then view/**play** these segments. ... Cited by 3 - View as HTML - Web Search

Improving the Quality of the Personalized Electronic Program Guide

D O'Sullivan, B Smyth, DC Wilson, K McDonald, A ... - User Modeling and User-Adapted Interaction, 2004 - kluweronline.com

... available for all users to browse, search and **play**. ... of many possible approaches to **generating** additional **similarity** ... each unique item in our **list** of recommended ... Cited by 4 - Web Search - ingentaconnect.com - cs.pitt.edu - cin.ufpe.br - all 9 versions »

A Relationship and Navigation Analysis

J Yoo, M Bieber - cis.niit.edu

... of design, hypermedia analysis should **play** a part in ... categories, either from the **list**, or of ... for type partitions for **generating** generalization/specialization ... <u>Cached</u> - Web Search

Technical Report

S BRESSAN, G DOBBIE, Z LACROIX, ML LEE - dl.comp.nus.edu.sg ... If XML is to play the critical role of ... generating new XML structures and transforming one XML structure to ... For each richer-than-average person, list the number ...

View as HTML - Web Search

New Services and Technologies Associated with Metadata

K Sakanoue, J Kishigami, T Honishi, T Yoshida - ntt.co.jp ... to extract favorite scenes, and to **play** back a ... inte- grated and the system for **generating**, delivering, and ... and production staff; by displaying a **list** of scenes ... <u>View as HTML - Web Search - ntt.co.jp</u>

Landscaping the information space of large multi-database networks
MP Papazoglou, HA Proper, J Yang - Data & Knowledge Engineering, 2001 - cs.kun.nl
... 2. Locating candidate database sources that address these ... such as newsgroups, mailing
list archives, etc. ... gives users the option of generating alternative terms ...
Cited by 11 - View as HTML - Web Search - cs.ru.nl - portal.acm.org - all 7 versions »

METADATA-BASED AND PERSONALIZED WEB QUERYING

S AyseOzel - cs.bilkent.edu.tr ... scope and in quality, as a dissertation for the **degree** of doctor ... 4.2 Sideway Value **Generating** Algebra Assume that the query poser wants to see the **list** of top ... <u>View as HTML</u> - <u>Web Search</u>

Did you mean to search for: generating playlist degree of similarity candidate items metadata

Goooooooogle >

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

generating play list degree of similar Search

Google Home - About Google - About Google Scholar

©2005 Google